

Material Safety Data Sheets

1. ADHERENCE MULTICURE CATALYST (Dual Cure Catalyst)	PAGE 2
2. DUAL CURE RESIN CEMENT LIGHT WITH FLUORIDE (Luting Composite)	PAGE 4
3. DUAL CURE BASE RESIN (FAST SETTING) (Enamel Bonding Agent)	PAGE 6
4. ONE-STEP UNIVERSAL BOND (Dentin Enamel Bonding Agent)	PAGE 8
5. DUAL CURE BASE RESIN (FAST SETTING OPAQUER) (Resin Opaquer)	PAGE 10
6. TOOTH ETCHANT	PAGE 12
7. HYDRALANE SILANE COUPLING AGENT (Porcelain Primer)	PAGE 14
8. CERAM ETCH	PAGE 15
9. VITRAVEST Fine Grain "Tru Die" (Powder)	PAGE 16
10. MET-ETCH (Metal Etching Gel)	PAGE 17
11. VITRAVEST REFRACTORY DIE MODEL LIQUID	PAGE 18

MATERIAL SAFETY DATA SHEET

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME: ADHERENCE MULTICURE CATALYST
MANUFACTURER: CONFI-DENTAL PRODUCTS CO. SUPPLIER: PSI DENTAL SUPPLY
ADDRESS: 416 SOUTH TAYLOR AVENUE 1315 E. 500 N.
LOUISVILLE, COLORADO 80027 ANDERSON, IN 46012

FOR INFORMATION CALL: (303) 665-7535 CHEMTREC: (800) 424-9300
DATE PREPARED: February 10,1998 REVISION DATE: December 8. 2004

SECTION II- HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

HAZARDOUS COMPONENT OSHA PEL ACGW TLV % (OPTIONAL)

AROMATIC AND ALIPHATIC DIMETHACRYLATES MONOMERS

BENZOYL PEROXIDE

SECTION III - PHYSICAL DATA

BOILING POINT: ND SPECIFIC GRAVITY (H₂O = 1): > 1
VAPOR PRESSURE (mm Hg) ND MELTING POINT: ND
VAPOR DENSITY (AIR=1) ND EVAPORATION RATE: ND
(BUTYL ACETATE =1)

SOLUBILITY IN WATER: INSOLUBLE

APPEARANCE AND ODOR: WHITE PASTE WITH CHARACTERISTIC ACRYLATE ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: ND FLAMMABLE LIMIT LEL: NA
HEL: NA

EXTINGUISHING MEDIA: DRY CHEMICAL FOAM ANT) CO₂

SPECIAL FIRE FIGHTING PROCEDURES: WEAR PRESSURE DEMAND, SELF-CONTAINED
BREATHING APPARATUS AND FULL PROTECTIVE GEAR

UNUSUAL FIRE AND EXPLOSION HAZARDS: MATERIAL MAY BURN IF EXPOSED TO FLAME

SECTION V - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY - INHALATION: YES SKIN: YES INGESTION: POSSIBLE

HEALTH HAZARD (ACUTE OR CHRONIC): ALLERGIC REACTIONS TO METHACRYLATES ARE POSSIBLE.

CARCINOGENICITY: NTP? NA 1ARC MONOGRAPHS? NA OSHA REGULATED? NA

SIGNS OR SYMPTOMS OF EXPOSURE: REPEATED CONTACT WITH SKIN MAY LEAD TO BURNS AND RASHES.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: UNKNOWN EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: MOVE SUBJECT TO FRESH AIR, KEEP WARM. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS REQUIRED

EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.

SKIN: WASH WITH SOAP AND WATER

INGESTION: CONSULT PHYSICIAN

SECTION VI- REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: HIGH TEMPERATURES. STRONG ACIDS, BASES. AND OXIDIZING

AGENTS. SOURCES OF IGNITION. AMINES

INCOMPATIBILITY (MATERIALS TO AVOID): NONE KNOWN

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: OXIDES OF CARBON WHEN BURNED

HAZARDOUS POLYMERIZATION: MAY OCCUR: XX WILL NOT OCCUR:

**CONDITIONS TO AVOID: HIGH TEMPERATURES
SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED; COLLECT SPILLED MATERIAL. PLACE IN CLOSED CONTAINER.

WASTE DISPOSAL METHOD: DISPOSE OF WASTE AT AN APPROPRIATE WASTE DISPOSAL FACILITY ACCORDING TO CURRENT APPLICABLE LAWS AND REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: REFRIGERATION IS RECOMMENDED. AVOID MOISTURE IN UNPOLYMERIZED STATE. AVOID HEAT, SPARKS, FLAME AND DIRECT SUNLIGHT.

SECTION VIII- CONTROL MEASURES

**RESPIRATORY PROTECTION (SPECIFY TYPE):
VENTILATION - LOCAL EXHAUST: RECOMMENDED SPECIAL:
MECHANICAL (GENERAL): OTHER:**

PROTECTIVE GLOVES: RECOMMENDED (NITRILE)

EYE PROTECTION: YES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE REQUIRED UNDER NORMAL USE

SECTION X - ADDITIONAL INFORMATION

INFORMATION HEREIN IS GIVEN IN GOOD FAITH AS AUTHENTIC AND VALID. HOWEVER, NO WARRANTY, EXPRESSED OR IMPLIED CAN BE MADE, AND THE MANUFACTURER ASSUMES NO LIABILITY RESULTING FROM ITS USE.

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: DUAL CURE RESIN CEMENT LIGHT WITH FLUORIDE

MANUFACTURER: CONFI-DENTAL PRODUCTS CO.
ADDRESS: 416 SOUTH TAYLOR AVENUE
LOUISVILLE, COLORADO 80027

SUPPLIER: PSI DENTAL SUPPLY
1315 E. 500 N.
ANDERSON, IN 46012

FOR INFORMATION CALL: (303) 665-7535
DATE PREPARED: FEBRUARY 13, 2002
2004

CHEMTREC: (800) 424-9300
REVISION DATE: DECEMBER 14,

SECTION II- HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

HAZARDOUS COMPONENT	OSHA PEL	ACGIH TLV	% (OPTIONAL)
---------------------	----------	-----------	--------------

AROMATIC AND ALIPHATIC DIMETHACRYLATE MONOMERS
NN' DIHYDROXYETHYL P-TOLUIDINE
SODIUM FLUORIDE

SECTION III- PHYSICAL DATA

BOILING POINT: ND	SPECIFIC GRAVITY (1120=1): 1.6
VAPOR PRESSURE (mm Hg) ND	MELTING POINT: ND
VAPOR DENSITY (AIR= 1) ND	EVAPORATION RATE: ND (BUTYL ACETATE =1)

SOLUBILITY IN WATER: INSOLUBLE

APPEARANCE AND ODOR: FILLED RESIN WITH CHARACTERISTIC ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: ND FLAMMABLE LIMIT: ND

EXTINGUISHING MEDIA: DRY CHEMICAL FOAM, CO₂, DRY CHEMICAL.

SPECIAL FIRE FIGHTING PROCEDURES: FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECT WE CLOTHING.

UNUSUAL FIRE AND EXPLOSION HAZARDS: MATERIAL MAY BURN IF EXPOSED TO FLAME. TOXIC FUMES MAY BE EMITTED UNDER FIRE CONDITIONS.

SECTION V - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY - INHALATION: POSSIBLE SKIN: YES INGESTION: POSSIBLE

HEALTH HAZARD (ACUTE OR CHRONIC): ND
CARCINOGENICITY: ND NT??

IARC MONOGRAPHS?

OSHA REGULATED?

SIGNS OR SYMPTOMS OF EXPOSURE: REPEATED EXPOSURE TO SKIN MAY CAUSE IRRITATION AND REDDENING.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: ND

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: REMOVE TO FRESH AIR IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES,

SKIN: WASH WITH SOAP AND COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.

INGESTION: SEEK MEDICAL ATTENTION.

SECTION VI- REACTIVITY DATA

STABILITY: THIS MATERIAL IS STABLE

CONDITIONS TO AVOID: HIGH TEMPERATURES. EXPOSURE TO ANY VISIBLE LIGHT SOURCES.

INCOMPATIBILITY (MATERIALS TO AVOID): ACIDS, BASES, OXIDIZING AGENTS, REDUCING AGENTS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS; TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND NITROGEN OXIDES

HAZARDOUS POLYMERIZATION: MAY OCCUR IN LARGE QUANTITIES.

SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: COLLECT SPILLED MATERIALS. PICK UP THE MATERIAL WITH IMPERVIOUS GLOVES AND PLACE INTO AN APPROPRIATE CONTAINER.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL. STATE AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE AT OR BELOW ROOM TEMPERATURE. AVOID MOISTURE IN UNPOLYMERIZED STATE,

SECTION VIII - CONTROL MEASURES

**RESPIRATORY PROTECTION (SPEC WY TYPE): NONE
VENTILATION - LOCAL EXHAUST: ADEQUATE
MECHANICAL (GENERAL):**

**SPECIAL:
OTHER:**

PROTECTIVE GLOVES: RECOMMENDED

EYE PROTECTION: RECOMMENDED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE

INFORMATION HEREIN IS GIVEN IN GOOD FAITH AS AUTHORITATIVE AND VALID. HOWEVER, NO WARRANTY, EXPRESSED OR IMPLIED CAN BE MADE, AND THE MANUFACTURER ASSUMES NO LIABILITY RESULTING FROM ITS USE.

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: DUAL CURE BASE RESIN (FAST SETTING)
MANUFACTURER: CONFI-DENTAL PRODUCTS CO. SUPPLIER: PSI DENTAL SUPPLY
ADDRESS: 416 SOUTH TAYLOR AVENUE 1315 E. 500 N.
LOUISVILLE, COLORADO 80027 ANDERSON, IN 46012

FOR INFORMATION CALL: (303) 665-7535 CHEMTREC: (800) 424-9300
DATE PREPARED: OCTOBER 25, 2001 REVISION DATE: December 10, 2004

SECTION II- HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

AROMATIC AND ALIPHATIC DIMETHACRYLATES
TERTIARY AMINE
FERRIC FLUORIDE

SECTION III- PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: ND SPECIFIC GRAVITY (H₂O = 1): 1
VAPOR PRESSURE (mm Hg) ND MELTING POINT: ND
VAPOR DENSITY (AIR=1) ND EVAPORATION RATE: ND
(BUTYL ACETATE 1)

SOLUBILITY IN WATER: INSOLUBLE
APPEARANCE AND ODOR: RESIN WITH CHARACTERISTIC ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): ND LEL: ND
UEL: ND
FLAMMABLE LIMIT: ND)

EXTINGUISHING MEDIA: DRY CHEMICAL FOAM, AND CO₂

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

UNUSUAL FIRE AND EXPLOSION HAZARDS: MATERIAL MAY BURN IF EXPOSED TO FLAME HEAT MAY CAUSE POLYMERIZATION.

SECTION V - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY - INHALATION: POSSIBLE SKIN: YES INGESTION: YES

HEALTH HAZARD (ACUTE OR CHRONIC): ND

CARCINOGENICITY: ND NTP? ND IARC MONOGRAPHS? ND) OSHA REGULATED? ND

SIGNS OR SYMPTOMS OF EXPOSURE: REPEATED CONTACT WITH SKIN MAY CAUSE REDDENING AND IRRITATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: ND EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: MOVE SUBJECT TO FRESH AIR, KEEP WARM. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS REQUIRED.

EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER

SKIN: WASH WITH SOAP AND WATER

INGESTION: SEEK MEDICAL ATTENTION.

SECTION V - REACTIVITY DATA

STABILITY: THIS MATERIAL IS STABLE

INCOMPATIBILITY (MATERIALS TO AVOID: STRONG OXIDIZING AGENTS, PEROXIDE S, ACIDS, ALKALIS, AND AMINES

HAZARDOUS DECOMPOSITION OR BY PRODUCTS: OXIDES OF CARBON WHEN BURNED

HAZARDOUS POLYMERIZATION: IN LARGE QUANTITIES, MAY OCCUR

CONDITIONS TO AVOID: HIGH TEMPERATURES, EXPOSURE TO VISIBLE LIGHT SOURCES.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: WIPE UP SPILL. IF LARGE QUANTITY, DIKE AND ABSORB WITH INERT MATERIAL.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE AT OR BELOW ROOM TEMPERATURE. AVOID MOISTURE CONTACT IN UNPOLYMERIZED STATE. NO OTHER PRECAUTIONS.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE) : NONE REQUIRED UNDER NORMAL USE

VENTILATION -

LOCAL EXHAUST: NONE

SPECIAL: ND

MECHANICAL (GENERAL): ND

OTHER: ND

PROTECUVE GLOVES: RECOMMENDED

EYE PROTECTION: RECOMMENDED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE

SECTION IX - ADDITIONAL INFORMATION

INFORMATION HEREIN IS GWEN IN GOOD FAITH AS AUTHORITATIVE AND VALID.

HOWEVER, NO WARRANTY, EXPRESSED OR IMPLIED CAN BE MADE, AND CONFI-DENTAL PRODUCTS CO. ASS TIMES NO LIABILITY RESULTING FROM ITS USE.

MATERIAL SAFETY DATA SHEET

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME; ONE-STEP UNIVERSAL BOND
MANUFACTURER: CONFI-DENTAL PRODUCTS CO. SUPPLIER: PSI DENTAL SUPPLY
ADDRESS: 416 SOUTH TAYLOR AVENUE 1315 E. 500 N.
LOUISVILLE, COLORADO 80027 ANDERSON, IN 46012

FOR INFORMATION CALL: (303) 665-7535

CHEMTREC: (800) 424-9300

DATE PREPARED: February 10,1998

REVISION DATE: July 21, 2004 -

SECTION II- HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS COMPONENT	OSHA PEL	ACGHI TLV	% (OPTIONAL)
PMGDM			
BHT	NE	TWA 10MG/M3	
ACETONETWA		750PPM	STEL 1000 PPM
CAMPHORQUINONE		NE	NE
2HYDROXYETHYL METHACRYLATE		TWA 20 PPM	TWA 20 PPM

SECTION III - PHYSICAL DATA

BOILING PONT: 56.1° CSPECIFIC GRAVITY (H₂O 1): .788
VAPOR PRESSURE (mm Hg) 184 MELTING PONT: NE
VAPOR DENSITY (AIR=1) 20 EVAPORATION RATE: NE
(BUTYL ACETATE =1)
SOLUBIITY IN WATER: NE

APPEARANCE AND ODOR: SWEET PUNGENT ODOR, COLORLESS LIQUID.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: -18°C FLAMMABLE LIMIT: UPPER 3%
LOWER 13%

EXTINGUISHING MEDIA: CO₂, WATER SPRAY, DRY CHEMICAL - USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL.

SPECIAL FIRE FIGHTING PROCEDURES: FIREFIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS IN THE POSITIVE PRESSURE MODE WITH A FULL FACEPIECE IF NEEDED.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NE

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOW: NE

INCOMPATIBILITY (MATERIALS TO AVOID): YES. ACIDS, BASES, AMINES, BROMINES, CHLOROFORM, HYDROGEN PEROXIDE, STRONG OXIDIZERS, PLASTICS, RAYON, KETONES AND ACETATALDEHYDE.

HAZARDOUS DECOMPOSITION OR BY PRODUCTS: THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE TOXIC OXIDES OF CARBON.

HAZARDOUS POLYMERIZATION: NO DATA

CONDITIONS TO AVOID: NE

SECTION VI- HEALTH HAZARD DATA

ROUTE(S) OP ENTRY - INHALATION: YES SKIN: YES INGESTION: YES

HEALTH HAZARD (ACUTE OR CHRONIC): *ACUTE*: MAY IRRITATE NOSE THROAT, EYES AND CAN CAUSE AN ALLERGIC SKIN REACTION.
CHRONIC: MAY CAUSE HEADACHE, FATIGUE, REDNESS OR DRYNESS OF SKIN AND IS NERVOUS SYSTEM DEPRESSANT IF SWALLOWED.
CARCINOGENICITY: NE NTP? IARC MONOGRAPHS? OSHA REGULATED?

SIGNS OR SYMPTOMS OF EXPOSURE:

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: REMOVE TO FRESH AIR AND GIVE OXYGEN IF DIFFICULTY BREATHING.

EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION.

SKIN: WASH WITH SOAP AND WATER IF IRRITATION OCCURS, SEEK MEDICAL ATTENTION.

INGESTION: IF SIGNIFICANT QUANTITY: IF PERSON IS CONSCIOUS DRINK WATER INDUCE VOMITING WITH SYRUP OF IPECAC. GVE
ACTIVATED CHARCOAL. OBTAIN EMERGENCY MEDICAL ATTENTION.

SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: WEAR GLOVES AND SAFETY GOGGLES. ABSORB WITH INERT MATERIAL, SUCH AS PAPER TOWELS. PLACE ALL ABSORBENT MATERIAL. IN CLOSED CONTAINER. WASH AREA WITH SOAP AND WATER

WASTE DISPOSAL METHOD: FOLLOW GOVERNMENT REGULATIONS. KEEP SOILS OUT OF SEWERS AND OPEN BODIES OF WATER.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: AVOID HEAT. SPARKS, FLAMES AND 1NCOMPATIBLE SUBSTANCES. GROUND METAL CONTAINERS. STORE AT ROOM TEMPERATURE. AVOID CONTAMINATION. EMPTY CONTAINERS MIGHT CONTAIN RESIDUAL PRODUCT - HANDLE APPROPRIATELY.

SECTION VIII- CONTROL MEASURES

RESPIRATORY PROTECTION (SPEC WY TYPE): NONE REQUIRED.

VENTILATION - LOCAL EXHAUST:
MECHANICAL (GENERAL):

SPECIAL:
OTHER:

PROTECTIVE GLOVES: RECOMMENDED

EYE PROTECTION: RECOMMENDED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE REQUIRED.

INFORMATION HEREIN IS GIVEN IN GOOD FAITH AS AUTHORITATIVE AND VALID. HOWEVER, NO WARRANTY, EXPRESSED OR IMPLIED CAN BE MADE, AND CONFI-DENTAL PRODUCTS CO. ASSUMES NO LIABILITY RESULTING FROM ITS USE.HANDLING AND USE

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: DUAL CURE BASE RESIN (FAST SETTING OPAQUER)
MANUFACTURER: CONFI-DENTAL PRODUCTS CO. SUPPLIER: PSI DENTAL SUPPLY
ADDRESS: 416 SOUTH TAYLOR AVENUE 1315 E. 500 N.
LOUISVILLE, COLORADO 80027 ANDERSON, IN 46012
FOR INFORMATION CALL: (303) 665-7535 CHEMTREC: (800) 424-9300
DATE PREPARED: OCTOBER 25, 2001 REVISION DATE: December 10, 2004

SECTION II- HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

AROMATIC AND ALIPHATIC DIMETHACRYLATES
TERTIARY AMINE
FERRIC FLUORIDE
TITANIUM DIOXIDE

SECTION III- PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: ND SPECIFIC GRAVITY (H₂O = 1): 1
VAPOR PRESSURE (mm Hg) ND MELTING POINT: ND
VAPOR DENSITY (AIR=1) ND EVAPORATION RATE: ND
(BUTYL ACETATE 1)

SOLUBILITY IN WATER: INSOLUBLE
APPEARANCE AND ODOR: RESIN WITH CHARACTERISTIC ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): ND LEL: ND
UEL: ND)

FLAMMABLE LIMIT: ND)

EXTINGUISHING MEDIA: DRY CHEMICAL FOAM, AND CO₂

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

UNUSUAL FIRE AND EXPLOSION HAZARDS: MATERIAL MAY BURN IF EXPOSED TO FLAME HEAT MAY CAUSE POLYMERIZATION.

SECTION V - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY - INHALATION: POSSIBLE SKIN: YES INGESTION: YES

HEALTH HAZARD (ACUTE OR CHRONIC): ND

CARCINOGENICITY: ND NTP? ND IARC MONOGRAPHS? ND) OSHA REGULATED? ND

SIGNS OR SYMPTOMS OF EXPOSURE: REPEATED CONTACT WITH SKIN MAY CAUSE REDDENING AND IRRITATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: ND EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: MOVE SUBJECT TO FRESH AIR, KEEP WARM. GIVE OXYGEN OR ARTIFICAL RESPIRATION AS REQUIRED.

EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER

SKIN: WASH WITH SOAP AND WATER

INGESTION: SEEK MEDICAL ATTENTION.

SECTION V - REACTIVITY DATA

STABILITY: THIS MATERIAL IS STABLE

INCOMPATIBILITY (MATERIALS TO AVOID: STRONG OXIDIZING AGENTS, PEROXIDE S, ACIDS, ALKALIS, AND AMINES

HAZARDOUS DECOMPOSITION OR BY PRODUCTS: OXIDES OF CARBON WHEN BURNED

HAZARDOUS POLYMERIZATION: IN LARGE QUANTITIES, MAY OCCUR

CONDITIONS TO AVOID: HIGH TEMPERATURES, EXPOSURE TO VISIBLE LIGHT SOURCES.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: WIPE UP SPILL. IF LARGE QUANTITY, DIKE AND ABSORB WITH INERT MATERIAL.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE AT OR BELOW ROOM TEMPERATURE. AVOID MOISTURE CONTACT IN UNPOLYMERIZED STATE. NO OTHER PRECAUTIONS.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE) : NONE REQUIRED UNDER NORMAL USE

VENTILATION -

LOCAL EXHAUST: NONE

SPECIAL: ND

MECHANICAL (GENERAL): ND

OTHER: ND

PROTECUVE GLOVES: RECOMMENDED

EYE PROTECTION: RECOMMENDED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE

SECTION IX - ADDITIONAL INFORMATION

INFORMATION HEREIN IS GWEN IN GOOD FAITH AS AUTHORITATIVE AND VALID.

HOWEVER, NO WARRANTY, EXPRESSED OR IMPLIED CAN BE MADE, AND CONFI-DENTAL PRODUCTS CO. ASS TIMES NO LIABILITY RESULTING FROM ITS USE.

MATERIAL SAFETY DATA SHEET

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME: TOOTH ETCHANT
MANUFACTURER: PSI DENTAL SUPPLY. SUPPLIER: PSI DENTAL SUPPLY
ADDRESS: 1315 E. 500 N. 1315 E. 500 N.
ANDERSON, IN 46012 ANDERSON, IN 46012

FOR INFORMATION CALL: (800-443-5459)
DATE PREPARED: February 10,1998

CHEMTREC: (800) 424-9300
REVISION DATE: July 21, 2004

SECTION II- HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS COMPONENT	OSHA PEL	ACGHI TLV	%(OPTIONAL)
PHOSPHORIC ACID			37-40

SECTION III - PHYSICAL DATA

BOILING PONT: 158° C. SPECIFIC GRAVITY (H₂O): 1.65
VAPOR PRESSURE NA MELTING PONT: NA
VAPOR DENSITY (AIR =1) NA EVAPORATION RATE: NA
(BUTYL ACETATE =1)
SOLUBIITY IN WATER: 100% SOLUBLE

APPEARANCE AND ODOR: ODORLESS, GREEN GELL.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NA FLAMMABLE LIMIT: UPPER NA
LOWER NA

EXTINGUISHING MEDIA: NA

SPECIAL FIRE FIGHTING PROCEDURES: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: REACTS STRONGLY WITH BASES

INCOMPATIBILITY (MATERIALS TO AVOID): REACTS WITH BASES, SULPHIDES, PHOSPHIDES, CYANIDES, ACETYLIDES, FLUORIDES, SILICIDES, CARBIDES

HAZARDOUS DECOMPOSITION OR BY PRODUCTS: REACTION RELEASES FLAMMABLE AND/OR POISONOUS GASES.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: AVOID CONTACT WITH SKIN, EYES

SECTION VI- HEALTH HAZARD DATA

ROUTE(S) OP ENTRY - INHALATION: NO SKIN: YES INGESTION: YES

HEALTH HAZARD (ACUTE OR CHRONIC): ACUTE: EYE AND SKIN IRRITATION AND REDNESS. IRRITATION TO THROAT, NAUSEA AND VOMITTING, IF INGESTED IN SMALL AMOUNTS. CHRONIC EXPOSURE MAY CAUSE DERMATITIS.

CARCINOGENICITY: NONE IARC MONOGRAPHS? OSHA REGULATED?

SIGNS OR SYMPTOMS OF EXPOSURE: EYE AND SKIN IRRITATION AND REDNESS. IRRITATION TO THROAT, NAUSEA AND VOMITTING

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: CHRONIC EXPOSURE MAY CAUSE DERMATITIS

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION:

EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 30 MINUTES. SEEK MEDICAL ATTENTION.

SKIN: WASH WITH SOAP AND WATER IF IRRITATION OCCURS, SEEK MEDICAL ATTENTION.

INGESTION: RINSE MOUTH WITH WATER, DO NOT INDUCE VOMITTING. DRINK 240 TO 300 ML. OF WATER TO REDUCE CONCENTRATION AND OBTAIN MEDICAL ATTENTION.

SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: WEAR GLOVES AND SAFETY GOGGLES. ABSORB WITH INERT MATERIAL, SUCH AS PAPER TOWELS. PLACE ALL ABSORBENT MATERIAL. IN CLOSED CONTAINER. WASH AREA WITH SOAP AND WATER

WASTE DISPOSAL METHOD: FOLLOW GOVERNMENT REGULATIONS. KEEP SOILS OUT OF SEWERS AND OPEN BODIES OF WATER.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: NONE

SECTION VIII- CONTROL MEASURES

RESPIRATORY PROTECTION (SPEC WY TYPE): NONE REQUIRED.

VENTILATION - LOCAL EXHAUST:

-

MECHANICAL (GENERAL):

SPECIAL: STORE IN CLOSED CONTAINER AT 75 DEGREES F. OR UNDER UNTIL READY FOR USE.
OTHER: AVOID MOISTURE CONTACT.

PROTECTIVE GLOVES: RECOMMENDED TO PREVENT STAINS

EYE PROTECTION: RECOMMENDED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE REQUIRED.

INFORMATION HEREIN IS GIVEN IN GOOD FAITH AS AUTHORITATIVE AND VALID. HOWEVER, NO WARRANTY, EXPRESSED OR IMPLIED CAN BE MADE, AND CONFIDENTIAL PRODUCTS CO. ASSUMES NO LIABILITY RESULTING FROM ITS USE.

SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE

MATERIAL SAFETY DATA SHEET

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME; HYDRALANE SILANE COUPLING AGENT
MANUFACTURER: PSI DENTAL SUPPLY. SUPPLIER: PSI DENTAL SUPPLY
ADDRESS: 1315 E. 500 N. 1315 E. 500 N.
ANDERSON, IN 46012 ANDERSON, IN 46012
FOR INFORMATION CALL: (800) 443-5459 CHEMTREC: (800) 424-9300
DATE PREPARED: February 10, 1998 REVISION DATE: Dec. 05, 2006

SECTION II- HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS COMPONENT OSHA PEL ACGHI TLV %(OPTIONAL)
NONE

SECTION III - PHYSICAL DATA

BOILING PONT: 180° F. SPECIFIC GRAVITY (H₂O): 0.786
VAPOR PRESSURE (9 mm Hg) 32.8 MELTING PONT: 89
VAPOR DENSITY (AIR =1) 2 EVAPORATION RATE: 1.6
(BUTYL ACETATE =1)

SOLUBIITY IN WATER: 100% SOLUBLE
APPEARANCE AND ODOR: SLIGHT ALCOHOL ODOR, COLORLESS LIQUID.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 60 F TCC FLAMMABLE LIMIT: UPPER 12.1%
LOWER 2.5%

EXTINGUISHING MEDIA: WATER SPRAY
SPECIAL FIRE FIGHTING PROCEDURES: NONE
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

SECTION V - REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: NE
INCOMPATIBILITY (MATERIALS TO AVOID): NONE
HAZARDOUS DECOMPOSITION OR BY PRODUCTS: NONE.
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
CONDITIONS TO AVOID: NONE

SECTION VI- HEALTH HAZARD DATA

ROUTE(S) OP ENTRY - INHALATION: YES SKIN: YES INGESTION: YES
HEALTH HAZARD (ACUTE OR CHRONIC): ACUTE: MAY CAUSE EYE
CARCINOGENICITY: NONE IARC MONOGRAPHS? OSHA REGULATED?
SIGNS OR SYMPTOMS OF EXPOSURE: N/A
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A
EMERGENCY AND FIRST AID PROCEDURES:
INHALATION: REMOVE TO FRESH AIR.
EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION.
SKIN: WASH WITH SOAP AND WATER IF IRRITATION OCCURS, SEEK MEDICAL ATTENTION.
INGESTION: IF SIGNIFICANT QUANTITY: IF PERSON IS CONSCIOUS DRINK WATER INDUCE VOMITING WITH SYRUP OF IPECAC. GVE
ACTIVATED CHARCOAL. OBTAIN EMERGENCY MEDICAL ATTENTION.

SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: WEAR GLOVES AND
SAFETY GOGGLES. ABSORB WITH INERT MATERIAL, SUCH AS PAPER TOWELS. PLACE ALL
ABSORBENT MATERIAL. IN CLOSED CONTAINER. WASH AREA WITH SOAP AND WATER
WASTE DISPOSAL METHOD: FOLLOW GOVERNMENT REGULATIONS. KEEP SOILS OUT OF SEWERS AND OPEN BODIES OF WATER.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: NONE

SECTION VIII- CONTROL MEASURES

RESPIRATORY PROTECTION (SPEC WY TYPE): NONE REQUIRED.
VENTILATION - LOCAL EXHAUST: SPECIAL:
MECHANICAL (GENERAL): OTHER:
PROTECTIVE GLOVES: RECOMMENDED TO PREVENT STAINS
EYE PROTECTION: RECOMMENDED
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE REQUIRED.

INFORMATION HEREIN IS GIVEN IN GOOD FAITH AS AUTHORITATIVE AND VALID. HOWEVER, NO WARRANTY, EXPRESSED OR IMPLIED CAN
BE MADE, AND CONFI-DENTAL PRODUCTS CO. ASSUMES NO LIABILITY RESULTING FROM ITS USE.

MATERIAL SAFETY DATA SHEET

Identity: Ceram-Etch

SECTION I

Manufacturer: GPI
Address: 13391 Murphy Road, Stafford, TX 77477
Emergency Telephone Number: 800-527-3250
Telephone Number for information: 800-443-5459
Date Prepared: 6/7/2004

SECTION II- Hazardous Ingredients

Hazardous Components :As defined by DFR 1910, 1200 Hydrofluoric acid .9.5%

SECTION III - Physical Data

Boiling Point: 212 F.- 246 F.
Vapor Pressure (9 mm Hg.: 9-10 @ 25° C
Vapor Density (Air = 1): 1
Specific Gravity (Water = 1): 1.8
Melting Point: n/A
Evaporation Rate (Butyl Acetate 1): 1
Solubility in Water: ACID CINTENTS 100%
Appearance and Odor: PINK, VERY LITTLE ODOR

SECTION IV - Fire and Explosion Data

Flash Point (Method Used): Will not burn
Flammable Limits: N/A
Extinguishing Media: N/A
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None

SECTION V - Reactivity Data

Stability: Stable
Incompatibility (Materials to Avoid): N/A
Hazardous Decomposition or By-Products: N/A
Hazardous Polymerization: Will not occur

SECTION VI- Health Hazard Data

Routes of Entry:
inhalation?: Yes
skin?: Yes
ingestion?: Yes
Health Hazards (Acute and Chronic): Prolonged breathing of fumes may cause lung damage
May cause redness or burning
Eye contact may cause burning

Carcinogenicity: N/A

Signs and Symptoms of Exposure: Redness, burning sensation

Medical Conditions Aggravated by Exposure: N/A

Emergency and First Aid Procedures: Skin: flush with water. Eyes: flush with water for 15 minutes, consult with physician. Ingestion: Do not induce vomiting, give large amounts of water containing milk of magnesia, milk or olive oil.

SECTION VII- Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: Flush area with water.

Waste Disposal Method: Neutralize with soda ash or lime and dispose of in accordance with federal, state and local regulations.

Precautions to Be Taken in Handling and Storing: Rubber gloves are recommended.

Other Precautions: Protective glasses should be worn. Store in a cool area out of direct sunlight

SECTION VIII- Control Measures

Respiratory Protection: Use in a ventilated area.

Ventilation: No special exhaust system needed.

Protective gloves: Rubber gloves should be worn.

Eye protection: Wear protective glasses or eyewear.

MATERIAL SAFETY DATA SHEET

Identity: VITRAVEST Fine Grain "Tru Die" (Powder)

SECTION I

Manufacturer: Gresco Products, Inc.
Address: 13391 Murphy Road - Stafford, TX 77477
Emergency Telephone Number: None
Telephone Number for Information: (281) 261-1811
Date Prepared: Jan. 14, 2006

SECTION II & III - Hazardous Ingredients & Physical/Chemical Characteristics

Hazardous Components (As Defined by CFR 1910.1200): Crystalline Silica (Quartz) Cas 01-4808-60-7

Exposure Limits: OSHA PEL = .1mg/m³ TLV-TWA = .1mg/m³

Boiling Point: 4046oF

Vapor Pressure (mm Hg.): 0 at 20oC

Vapor Density (Air = 1): 1

Specific Gravity (water = 1): 2.65

Melting Point: 3050oF

Evaporation Rate (Butyl Acetate = 1): 0

Solubility in Water: Insoluble

Appearance and Odor White powder (Z-20 is light yellow), no odor

SECTION IV - Fire and Explosion Data

Flash Point (Method Used): Will not burn

Flammable Limits: None

Extinguishing Media: Non

Special Fire Fighting Procedures: None required

Unusual Fire and Explosion Hazards: None known

SECTION V - Reactivity Data

Stability: Stable

Incompatibility (Materials to Avoid): Contact with powerful oxidizers such as fluorine, chlorine trifluoride, manganese trioxide, oxygen difluoride may cause fires.

Hazardous Decomposition or By Products: The by product of silica and hydrofluoric acid is silicon tetra fluoride, a highly corrosive gas.

Hazardous Polymerization: Will not occur

SECTION VI - Health Hazard Data

Routes of Entry:

inhalation?: Yes

skin?: No

ingestion?: No

eyes?: No

Health Hazards (Acute and Chronic): Prolonged exposure to respirable crystalline silica may cause delayed chronic lung injury (Silicosis).

Carcinogenicity:

NTP?: Yes - Respirable silica may be anticipated to be a carcinogen

IARC Monographs?: Yes - Class 2A - Sufficient evidence for carcinogenicity in experimental animals; limited evidence for carcinogenicity in humans

Signs and Symptoms of Exposure: Undue breathlessness, wheezing, cough, sputum production.

Medical Conditions Aggravated by Exposure: Pulmonary function may be reduced by inhalation of respirable crystalline silica. Also lung scarring produced by such

inhalation may lead to a progressive massive fibrosis of the

lung which may aggravate other pulmonary conditions and diseases and which increases susceptibility to pulmonary tuberculosis. Progressive massive fibrosis may be accompanied by right heart enlargement, heart enlargement, heart failure, and pulmonary failure. Smoking aggravates the effects of exposure.

Emergency and First Aid Procedures: Eyes: Wash with large amount of water, consult a physician.

Inhalation: Remove person(s) to fresh air, give artificial respiration as needed, seek medical attention.

SECTION VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: Clean spilled material in a dustless manner.

Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing: Avoid spilling material and creating dust.

Other Precautions: Use adequate ventilation and dust collection.

SECTION VIII - Control Measures

Respiratory Protection: Recommended

Ventilation: Use sufficient exhaust to reduce the level of respirable crystalline silica to the PEL.

Protective Gloves: Optional

Eye Protection: Recommended Other Protective Clothing or Equipment: Optional Work/Hygienic Practices: Avoid creating and breathing dust.

MATERIAL SAFETY DATA SHEET

Identity: MET-ETCH

SECTION I

Manufacturer: Gresco Products, Inc.

Address 13391 Murphy Road

Emergency Telephone Number: None

Telephone Number for Information: (800)443-5459

Date Prepared: Jan. 15, 2006

SECTION II & III - Hazardous Ingredients & Physical/Chemical Characteristics

Hazardous Components (As Defined by CFR 1910.1200): Nitric Acid + Hydrochloric Acid

Exposure Limits: OSHA PEL = Approx. 7mg/M3

Boiling Point: 246oF

Vapor Pressure (mm Hg.): 9-10 @ 25oC

Vapor Density (Air = 1): 1

Specific Gravity (water = 1): 1.8

Melting Point: Not Known

Evaporation Rate (Butyl Acetate = 1): less than 1

Solubility in Water: soluble

Appearance and Odor: Light yellow - slight chlorine odor

SECTION IV - Fire and Explosion Data

Flash Point (Method Used): Will not burn

Flammable Limits: None

Extinguishing Media: None

Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: None

SECTION V - Reactivity Data

Stability: Unstable - Release toxic gases with heat.

Incompatibility (Materials to Avoid): Corrosive to all metals, re-acts with organics and utilizable inorganics

Hazardous Decomposition or By Products: Fumes contain hydrogen, nitrogen and chlorine gases.

Hazardous Polymerization: Not known to occur

SECTION VI - Health Hazard Data

Routes of Entry:

inhalation?: yes

skin?: yes

ingestion?: yes

Eyes?: yes

Health Hazards (Acute and Chronic): Gel and fumes may cause burns. Breathing fumes may cause lung damage. Will burn Eyes and skin. Will burn mouth and mucous membranes if ingested.

Carcinogenicity: Not known to be carcinogenic

Signs and Symptoms of Exposure: Burning of eyes and skin indicates exposure.

Medical Conditions Aggravated by Exposure: Pre-existing diseases of the skin, eyes, or lungs.

Emergency and First Aid Procedures: Eyes: Flush with water for 15 mins.; consult a physician.

Ingestion: do not induce vomiting, give large amount of milk of magnesia, milk, magnesium oxide or olive oil. Call physician,. Skin: Flush with water, consult physician if needed.

SECTION VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: Flush with water, apply neutralizer

Waste Disposal Method: Neutralize gel with lime or soda ash and dispose of in accordance with federal, state and local regulations.

Precautions to Be Taken in Handling and Storing: Store in a cool area below 80oF. Do not store in direct sunlight.

Other Precautions: None

SECTION VIII - Control Measures

Respiratory Protection: Not needed for normal use.

Ventilation: Should be used in ventilated area or under exhaust hood.

Protective Gloves: Rubber or plastic gloves are recommended.

Eye Protection: Protective glasses must be worn.

Other Protective Clothing or Equipment: None Recommended **Work/Hygienic Practices:** None Recommended

MATERIAL SAFETY DATA SHEET

Identity: VITRAVEST REFRACTORY DIE MODEL LIQUID

SECTION I

Manufacturer: Gresco Products, Inc.

Address: 13391 Murphy Road - Stafford, TX 77477

Emergency Telephone Number: None

Telephone Number for Information: 1-765-643-1061

Date Prepared: Jan. 15, 2006

SECTION II & III - Hazardous Ingredients & Physical/Chemical Characteristics

Hazardous Components (As Defined by CFR 1910.1200): Amorphous Silica

Exposure Limits: Not known

Boiling Point: 212oF

Vapor Pressure (mm Hg.): 24 at 20oC

Vapor Density (Air = 1): Not known

Specific Gravity (water = 1): 1.3 at 20oC

Melting Point: Not known

Evaporation Rate (Butyl Acetate = 1): Less than 1

Solubility in Water: Dispersible

Appearance and Odor: Pink or clear, semi-opaque liquid, no odor

SECTION IV - Fire and Explosion Data

Flash Point (Method Used): Will not burn

Flammable Limits: None

Extinguishing Media: None

Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: None known

SECTION V - Reactivity Data

Stability: Stable

Incompatibility (Materials to Avoid): Avoid contact with strong acids such as HF

Hazardous Decomposition or By Products: None Known

Hazardous Polymerization: Will not occur

SECTION VI - Health Hazard Data

Routes of Entry:

inhalation?: Yes

skin?: Yes

ingestion?: No

eyes?: Yes

Health Hazards (Acute and Chronic):

Carcinogenicity: Not known to be carcinogenic

Signs and Symptoms of Exposure: May cause eye irritation with prolonged contact or lung irritation if dry material is inhaled.

Medical Conditions Aggravated by Exposure Persons with pre-existing lung diseases may have increased susceptibility to the toxicity of overexposure.

Emergency and First Aid Procedures: Eyes: Immediately flush eyes for 15 minutes and contact a physician.

Ingestion: No immediate intervention is necessary, however, contact a physician if necessary.

Inhalation: Consult a physician immediately

Skin contact: Wash area with soap and water, consult a physician if needed.

SECTION VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: Wipe immediately with paper towels

Waste Disposal Method: Dispose of in proper manner

Precautions to Be Taken in Handling and Storing: No specific precautions required

Other Precautions: None

Continued on back

SECTION VIII - Control Measures

Respiratory Protection: Not needed unless material is dry.

Ventilation: General ventilation

Protective Gloves: Recommended

Eye Protection: Recommended

Other Protective Clothing or Equipment: Not Required

Work/Hygienic Practices: Avoid breathing the dust from dried liquid